

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5457	steel and spider and (trunnion shaft)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 09:32
L2	2650	steel and spider with (trunnion shaft)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 09:32
L3	149	steel with spider with (trunnion shaft)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 09:32
L4	15	steel with spider with (trunnion shaft).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 09:33
L5	2	(cv constant adj velocity) adj joint with (shaft trunnion) with spider with tripod and steel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 09:34
L6	2	(cv constant adj velocity) adj joint and tripod and (shaft trunnion) with spider with steel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 09:34
L7	10	(cv constant adj velocity) adj joint and tripod and (shaft trunnion) with spider and steel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 09:40
L8	4961	hub with (shaft trunnion) with shoulder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 09:41

L9	210	hub with (shaft trunnion) with shoulder.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 09:42
L10	20	hub with (shaft trunnion) with shoulder and tripod	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 09:42
L11	549	(cv constant adj velocity) with tripod	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 09:46
L12	283	(cv constant adj velocity) with tripod.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 09:46
L13	456	(464/111).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 10:15
S1	26	((("2167798") or ("2295777") or ("2689296") or ("3466023") or ("4251704") or ("4855551") or ("4855556") or ("4894501") or ("5213636") or ("5414246") or ("6315841") or ("4251707") or ("4251709") or ("4785147") or ("4808779") or ("2180038") or ("2512893") or ("3592703") or ("4677876"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/27 09:31
S2	7103	aisi	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 18:05
S3	1	S1 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 18:08

S4	84136	"1050"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 18:08
S5	1	S1 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 18:08
S6	2	steel adj spider with hub with trunnion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 18:09
S7	64311	trunnion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 18:09
S8	683	spider with trunnion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 18:09
S9	7	spider with trunnion with steel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 18:10
S10	34	spider with trunnion with shoulder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 18:41
S11	10	"58" and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 18:11

S12	1	"58" with "63" and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 18:12
S13	9	spider with trunnion with shoulder and case	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 18:35
S14	24	spider with tripod with constant adj velocity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 09:45
S15	456	(464/111).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 18:44
S16	405972	heat adj treat\$4 carburiz\$4 nitriding nitrided case adj harden\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 18:44
S17	34	S15 and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 19:03
S18	33	tripod and spider and hub and bore and (shaft trunnion) and bearing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 18:50
S19	34	aisi adj "1050" aisi1050	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 19:04